



## INTERNATIONAL JOURNAL OF ENGINEERING SCIENCES & RESEARCH TECHNOLOGY

### A REVIEW PAPER ON ADVANCE DIGITAL IMAGE COMPRESSION USING FAST WAVELET TRANSFORMS COMPARATIVE ANALYSIS WITH DWT

Er.Kiran Bala\*, Varinderjit Kaur, AnamikaPathania

Asstt prof(cse), Asstt prof(cse)

Department of Computer Science And Engineering , PTU

#### ABSTRACT

Image compression is application of reducing the size of graphics file, without compromising on its quality. Depending on the reconstructed image, to be exactly same as the original or some unidentified loss may be incurred, two type of techniques for compression exist. Two techniques are: one is lossy techniques and other is lossless techniques. Image compression is the application of Data compression on digital images. Data compression is the technique to reduce the redundancies in data representation in order to decrease data storage requirements and hence communication costs. Reducing the storage requirement is equivalent to increasing the capacity of the storage medium and hence communication bandwidth. Thus the development of efficient compression techniques will continue to be a design challenge for future communication systems and advanced multimedia applications. The objective of this paper is to evaluate a set of wavelets for image compression. Image compression using wavelet transforms results in an improved compression ratio. Here in this paper we examined and compared various wavelet families such as Haar, Symlets and Biorthogonal using Discrete Wavelet Transform and Fast wavelet transform. In DWT wavelets are discretely sampled. The Discrete Wavelet Transform analyzes the signal at different frequency bands with different resolutions by decomposing the signal into an approximation and detail information. The study compares DWT and FWT approach in terms of PSNR, Compression Ratios and elapsed time for several Images. Complete analysis is performed at second and third level of decomposition using Haar Wavelet, Symlets wavelet and Biorthogonal wavelet. The implementation of the proposed algorithm based on video watermarking us used Matlab software. The implementation is done under the Image Processing Toolbox in the Matlab.

**KEYWORDS:** Discrete Wavelet Transform, Fast Wavelet Transform, Approximation and Detail Coefficients, Border Distortion, Haar, Symlets.

#### INTRODUCTION

Image compression is the application of size and data compression on digital images. The objective of image compression is to reduce redundancy of the image data in order to be able to store or transmit data in an efficient form. Image compression may be lossy or lossless. Lossless compression is sometimes preferred for artificial images such as technical drawings, icons or comics. This is because lossy compression methods, especially when used at low bit rates, introduce compression artifacts. Lossless compression methods may also be preferred for high value content, such as medical imagery or image scans made for archival purposes. Lossy methods are especially suitable for natural images such as photos in applications where minor loss of fidelity is acceptable to achieve a substantial reduction in bit rate. The lossy compression that produces imperceptible differences can be called visually lossless. Run-length encoding and entropy encoding are the methods for lossless

image compression. Transform coding, where a Fourier-related transform such as DCT or the wavelet transform are applied, followed by quantization and entropy coding can be cited as a method for lossy image compression. It shows that encoder and decoder consist of two relatively independent functions or sub blocks. The encoder is made up of source encoder, which removes input redundancies, and a channel encoder, which increases the noise immunity of the source encoder's output. Similarly, the decoder includes a channel decoder followed by a source decoder. If the channel between the encoder and decoder is noise free, the channel encoder and decoder are omitted, and the general encoder and decoder is noise free, the channel encoder and decoder are omitted, and the general encoder and decoder become the source encoder and decoder, respectively. The discrete wavelet transform (DWT) refers to wavelet transforms for which the wavelets are discretely

sampled. A transform which localizes a function both in space and scaling and has some desirable properties compared to the Fourier transform. The transform is based on a wavelet matrix, which can be computed more quickly than the analogous Fourier matrix. Most notably, the discrete wavelet transform is used for signal coding, where the properties of the transform are exploited to represent a discrete signal in a more redundant form, often as a preconditioning for data compression. The discrete wavelet transform (DWT) is a mathematical tool that has aroused great interest in the field of image processing due to its nice features. Some of these characteristics are:

- 1) It allows image multi resolution representation in a natural way because more wavelet sub-bands are used to progressively enlarge the low frequency sub-bands;
- 2) It supports wavelet coefficients analysis in both space and frequency domains, thus the interpretation of the coefficients is not constrained to its frequency behavior and we can perform better analysis for image vision and segmentation; and
- 3) For natural images, the DWT achieves high compactness of energy in the lower frequency sub-bands, which is extremely useful in applications such as image compression. The objective of image compression is to reduce redundancy of the image data in order to be able to store or transmit data in an efficient form. Image compression can be lossy or lossless. Lossless compression is sometimes preferred for artificial images such as technical drawings, icons or comics. This is because lossy compression methods, especially when used at low bit rates, introduce compression artifacts. Lossless compression methods may also be preferred for high value content, such as medical imagery or image scans made for archival purposes. Lossy methods are especially suitable for natural images such as photos in applications where minor loss of fidelity is acceptable to achieve a substantial reduction in bit rate. The JPEG 2000 standard proposes a wavelet transform stage since it offers better rate/distortion (R/D) performance than the traditional discrete cosine transform (DCT). Unfortunately, despite the benefits that the wavelet transform entails, some other problems are

introduced. Wavelet-based image processing systems are typically implemented by memory intensive algorithms with higher execution time than other transforms. In the usual DWT implementation, the image decomposition is computed by means of a convolution filtering process and so its complexity rises as the filter length increases. Other fast wavelet transform algorithms have been proposed in order to reduce both memory requirements and complexity, like line-based and block-based wavelet transforms an approach that performs wavelet transformation at image line or block level.

Sandeep Kaur & Gaganpreet kaur in 2013 propose Comparative Analysis of Various Digital Image Compression Techniques Using Wavelets. Image compression is the application of Data compression on digital images. Data compression is the technique to reduce the redundancies in data representation in order to decrease data storage requirements and hence communication costs. Reducing the storage requirement is equivalent to increasing the capacity of the storage medium and hence communication bandwidth. Thus the development of efficient compression techniques will continue to be a design challenge for future communication systems and advanced multimedia applications.

S. R. Manavalan & Akila Pradeep, in 2013, proposed Image Compression Using Radon Transform with DCT: Performance Analysis. Image compression is the significant research area in the field of image processing. The Transform selection in image compression has played a vital role since the size of the resultant compressed image should be reduced in comparison with the original image. Numerous image compression standards based on Wavelet Transform have been devoted in the literature but still there exist scope of yielding better compression with high quality in image reconstruction. Existing image compression technique using DWT with Biorthogonal filtering accommodates less compression ratio with poor image quality of reconstructed image. With that concern, image compression using Radon Transform with DCT (Discrete Cosine Transform) is proposed in this paper that contribute different dimension to the image compression.

The remainder of this paper is organized as the following. At first, in Section II we illustrate the various components of our proposed technique to image compression using fast wavelet transform. Further, in Section III we present some key experimental results and evaluate the performance of the proposed system. At the end we provide conclusion of the paper in Section IV and state some possible future work directions.

### PROPOSED TECHNIQUE

This section illustrates the overall technique of our proposed image compression. In this paper we propose "Image Compression Using Fast Wavelet Transforms Comparative Analysis with DWT". In this paper we select grey scale image to stimulate for decomposition and reconstruction, and comparisons. To perform image compression using Fast Wavelet Transform technique using Mallat Algorithm to overcome the problems of border distortions and large processing times that occur in DWT technique. , when a convolution is performed on finite-length signals, border distortions arise. Use of Symlets, Biorthogonal and Haar wavelets for DWT and FWT implementation on image compression to measure the picture quality subjectively using PSNR and objectively using Compression Ratio. This compression is done in accordance to three wavelet families, Haar, Symlets and Biorthogonal wavelet and results of image compression, PSNR and Compression ratio is to be compared at different levels of decomposition using different images. FWT and DWT technique is used for obtain the desired results. Different wavelets are used at 2nd and 3rd level of decomposition and comparative analysis of Haar, Symlets and Biorthogonal family is displayed. Quantitative analysis has been presented by measuring the values of attained Peak Signal to Noise Ratio and Compression Ratio at 2nd and 3rd decomposition levels. The intermediate image decomposition windows from various low pass and high pass filters. Qualitative analysis has been performed by obtaining the compressed version of the input image by FWT and DWT Techniques and comparing it with the test images. In our results Haar wavelet gives better result for all images in FWT as compare to DWT in terms of compression ratio, PSNR value and takes less time for compression. Also we see that for all six images FWT takes less time using Haar, sym4 and bior6.8 as compare to DWT using Haar, sym4 and bior6.8. In the last decade, there has been a lot of technological transformation in the way we

communicate. This transformation includes the ever present, ever growing internet, the explosive development in mobile communication and ever increasing importance of video communication. Data Compression is one of the technologies for each of the aspect of this multimedia revolution. Cellular phones would not be able to provide communication with increasing clarity without data compression. Data compression is art and science of representing information in compact form. Despite rapid progress in mass-storage density, processor speeds, and digital communication system performance, demand for data storage capacity and data-transmission bandwidth continues to outstrip the capabilities of available technologies. In a distributed environment large image files remain a major bottleneck within systems. Image Compression is an important component of the solutions available for creating image file sizes of manageable and transmittable dimensions. Platform portability and performance are important in the selection of the compression/decompression technique to be employed. Images have considerably higher storage requirement than text; Audio and Video Data require more demanding properties for data storage. An image stored in an uncompressed file format, such as the popular BMP format, can be huge. An image with a pixel resolution of 640 by 480 pixels and 24-bit colour resolution will take up  $640 * 480 * 24/8 = 921,600$  bytes in an uncompressed format. The huge amount of storage space is not only the consideration but also the data transmission rates for communication of continuous media are also significantly large. An image, 1024 pixel x 1024 pixel x 24 bit, without compression, would require 3 MB of storage and 7 minutes for transmission, utilizing a high speed, 64 Kbits /s, ISDN line. Image data compression becomes still more important because of the fact that the transfer of uncompressed graphical data requires far more bandwidth and data transfer rate. For example, throughput in a multimedia system can be as high as 140 Mbits/s, which must be transferred between systems. This kind of data transfer rate is not realizable with today's technology, or in near the future with reasonably priced hardware.

### Discrete Wavelet Transform

The discrete wavelet transform (DWT) refers to wavelet transforms for which the wavelets are discretely sampled. A transform which localizes a function both in space and scaling and has some desirable properties compared to the Fourier transform. The transform is based on a wavelet matrix,

which can be computed more quickly than the analogous Fourier matrix. Most notably, the discrete wavelet transform is used for signal coding, where the properties of the transform are exploited to represent a discrete signal in a more redundant form, often as a preconditioning for data compression. The discrete wavelet transform has a huge number of applications in Science, Engineering, Mathematics and Computer Science. Wavelet compression is a form of data compression well suited for image compression (sometimes also video compression and audio compression). The goal is to store image data in as little space as possible in a file. A certain loss of quality is accepted (lossy compression). Using a wavelet transform, the wavelet compression methods are better at representing transients, such as percussion sounds in audio, or high-frequency components in two-dimensional images, for example an image of stars on a night sky. This means that the transient elements of a data.

**Fast Wavelet Transform:**

Mallat produced a fast wavelet decomposition and reconstruction algorithm [Mal89] In 1988. The Mallat algorithm for discrete wavelet transform (DWT) is, in fact, a classical scheme in the signal processing community, known as a two-channel sub-band coder using conjugate quadrature filters or quadrature mirror filters (QMFs). The Fast Wavelet Transform is a mathematical algorithm designed to turn a waveform or signal in the time domain into a sequence of coefficients based on an orthogonal basis of small finite waves, or wavelets. The transform can be easily extended to multidimensional signals, such as images, where the time domain is replaced with the space domain. It has as theoretical foundation the device of a finitely generated, orthogonal Multiresolution analysis (MRA). In the terms given there, one selects a sampling scale J with sampling rate of 2<sup>J</sup> per unit interval, and projects the given signal f onto the space V<sub>J</sub>; in theory by computing the scalar products

$$s_n^{(J)} := 2^J \langle f(t), \phi(2^J t - n) \rangle,$$

Where  $\phi$  is the scaling function of the chosen wavelet transform; in practice by any suitable sampling procedure under the condition that the signal is highly oversampled, so

$$P_J[f](x) := \sum_{n \in \mathbb{Z}} s_n^{(J)} \phi(2^J x - n)$$

is the orthogonal projection or at least some good approximation of the original signal in

The MRA is characterized by its scaling sequence

$$a = (a_{-N}, \dots, a_0, \dots, a_N)$$

or,

as Z-transform,

$$a(z) = \sum_{n=-N}^N a_n z^{-n}$$

and its wavelet sequence

$$b = (b_{-N}, \dots, b_0, \dots, b_N)$$

$$b(z) = \sum_{n=-N}^N b_n z^{-n}$$

Or

(Some coefficients might be zero). Those allow to compute the wavelet coefficients  $d_n^{(k)}$ , at least some range  $k=M, \dots, J-1$ , without having to approximate the integrals in the corresponding scalar products. Instead, one can directly, with the help of convolution and decimation operators, compute those coefficients from the first approximation  $s^{(J)}$ .

**Performance Parameters**

Input image is to be compressed to a certain level using DWT / FWT based lifting and quantization scheme explained above by maintaining a good signal to noise ratio. Quantitative analyses have been presented by measuring the values of attained Peak Signal to Noise Ratio and Compression Ratio at different decomposition levels. The intermediate image decomposition windows from various low pass and high pass filters.

**PSNR:**

Peak Signal to Noise ratio used to be a measure of image quality. The PSNR between two images having 8 bits per pixel or sample in terms of decibels (dBs) is given by:

$$PSNR = 10 \log_{10} \text{mean square error (MSE)}$$

**Compression Ratio:**

Ratio of the size of compressed image to the input image is often called as compression ratio. There are two types of image compression present:

### LOSSLESS IMAGE COMPRESSION

A loss of information is, however, totally avoided in lossless compression, where image data are reduced while image information is totally preserved. It uses the predictive encoding which uses the gray level of each pixel to predict the gray value of its right neighbor. Only the small deviation from this prediction is stored. This is a first step of lossless data reduction. Its effect is to change the statistics of the image signal drastically. Statistical encoding is another important approach to lossless data reduction. Statistical encoding can be especially successful if the gray level statistics of the images has already been changed by predictive coding. The overall result is redundancy reduction that is reduction of the reiteration of the same bit patterns in the data. Of course, when reading the reduced image data, these processes can be performed in reverse order without any error and thus the original image is recovered. Lossless compression is therefore also called reversible compression. When hearing that image data are reduced, one could expect that automatically also the image quality will be reduced. A loss of information is, however, totally avoided in lossless compression, where image data are reduced while image information is totally preserved.

### LOSSY IMAGE COMPRESSION

Lossy data compression has of course a strong negative connotation and sometimes it is doubted quite emotionally that it is at all applicable in medical imaging. In transform encoding one performs for each image run a mathematical transformation that is similar to the Fourier transform thus separating image information on gradual spatial variation of brightness (regions of essentially constant brightness) from information with faster variation of brightness at edges of the image (compare: the grouping by the editor of news according to the classes of contents). In the next step, the information on slower changes is transmitted essentially lossless (compare: careful reading of highly relevant pages in the newspaper), but information on faster local changes is communicated with lower accuracy (compare: looking only at the large headings on the less relevant pages). In image data reduction, this second step is called quantization. Since this quantization step cannot be reversed when decompressing the data, the overall compression is 'lossy' or 'irreversible'.

### EVALUATION AND RESULTS

<http://www.ijesrt.com>

To verify the effectiveness (qualities and robustness) of the proposed Image Compression Using Wavelet Transform, we conduct several experiments with this procedure on several images. There are some steps of our proposed technique are given below:

**Phase 1:** Firstly we develop the proper GUI for our implementation work, after that we develop a code for load image.

**Phase 2:** Develop a code for the FWT and apply it.

**Phase 3:** Develop a code for the applying the DWT for loaded image.

**Phase 4:** Now we develop the code for the parameters calculation and we can see the results of our proposed method in the graph.

#### Flow Chart of proposed method




Figure: 1. Flow chart of proposed method

### CONCLUSION & FUTURE WORK

In this paper we propose "Image Compression Using Fast Wavelet Transforms Comparative Analysis with DWT". FWT based image compression has been performed to get the desired results of the proposed work. Image Compression is performed in the MATLAB software using wavelet toolbox. DWT and FWT based compression techniques have been implemented using lifting scheme and their results have been displayed in terms of qualitative analysis using image visual quality of input image, compressed



image and reconstructed image and Quantitative analysis have been performed in terms of PSNR, compression ratio and Elapsed time for both DWT and FWT at second level and third level of decomposition using Haar Wavelets, Symlets and Biorthogonal wavelets. To perform image compression using Fast Wavelet Transform technique using Mallat Algorithm to overcome the problems of border distortions and large processing times that occur in DWT technique. In our proposed technique compression while maintaining the image quality is must for digital data, image or video file transfer in fast way and lesser amount of time. Peak Signal to Noise ratio used to be a measure of image quality. It is the main factor of our implementation. A new algorithm for image compression using Fast Wavelet Transform has been proposed as FWT reduces the problems of border distortions in Image Compression. It reduces the data storage requirements. The wavelet transform achieves better energy compaction than the DCT and hence can help in providing better compression for the same Peak Signal to Noise Ratio (PSNR).

## REFERENCES

1. Implementation of Image Compression Algorithm using Verilog with Area, Power and Timing Constraints (2007-2009) : by Arun Kumar PS ,Dept. of ECE, NIT Rourkela.
2. Implementation of Data Compression and FFT on TinyOS: Ning Xu, Embedded Networks Laboratory, Computer Science Dept. USC. Los Angeles
3. Hardware Implementation of a Lossless Image Compression Algorithm Using a Field Programmable Gate Array M. Klimesh, I V. Stanton, I and D. Watola I (2001)
4. Implementation of Image Compression Algorithm using Verilog with Area, Power and Timing Constraints (2007-2009) : by Arun Kumar PS ,Dept. of ECE, NIT Rourkela.
5. Image Compression Using the Discrete Cosine Transform By Andrew B. Watson, NASA Ames Research Center (1994).
6. Thomas W. Fry, Hyperspectral image compression on recon\_gurable platforms, Master Thesis, Electrical Engineering, University of Washington, 2001.
7. S-T. Hsiang and J.W. Woods, Embedded image coding using zeroblocks of subband/wavelet coefficients and context modeling, IEEE Int. Conf. on Circuits and Systems (ISCAS2000), vol. 3, pp.662-665, May 2000.
8. A. Islam and W.A. Pearlman, An embedded and efficient low-complexity hierarchical image coder, in Proc. SPIE Visual Comm. and Image Processing, vol. 3653, pp. 294-305, 1999.
9. B. Kim and W.A. Pearlman, An embedded wavelet video coder using three-dimensional set partitioning in hierarchical tree, IEEE Data Compression Conference, pp.251-260, March 1997.
10. Y. Kim and W.A. Pearlman, Lossless volumetric medical image compression, Ph.D Dissertation, Department of Electrical, Computer, and Systems Engineering, Rensselaer Polytechnic Institute, Troy, 2001.
11. C.-L. Chang and B. Girod, "Direction-adaptive discrete wavelet transform via directional lifting and bandeletization," in Image Processing, 2006 IEEE International Conference on, 2006, pp. 1149-1152.
12. C.-L. Chang and B. Girod, "Direction-adaptive discrete wavelet transform for image compression," Image Processing, IEEE Transactions on, vol. 16, pp. 1289-1302, 2007.
13. W. Ding, F. Wu, X. Wu, S. Li, and H. Li, "Adaptive directional liftingbased wavelet transform for image coding," Image Processing, IEEE Transactions on, vol. 16, pp. 416-427, 2007.
14. W. Dong, G. Shi, and J. Xu, "Adaptive nonseparable interpolation for image compression with directional wavelet transform," Signal Processing Letters, IEEE, vol. 15, pp. 233-236, 2008.